

## SUPRA SUBLINK AUDIO 1PR LINE

Analogue Interconnect cable, mono


Gauge: 1x3x0.24mm<sup>2</sup> / AWG 23

Rev.date: 2023-04-20

Customs tariff no: 8544499390

Country of origin: Sweden

- Excellent price/performance ratio!
- Incorporates the basic Supra features to reach rapid transient response
- PE di-electric an high purity copper improves high signal integrity
- Shielded for efficient noise rejection



### Sublink Audio

Analogue Interconnect cable, Hi-Hi, Line & Subwoofer - mono

Supra SubLink is suitable as a single channel interconnect such as AV-receiver LFE out to sub-woofer LFE input, or as a pair of stereo interconnects. Low capacitance and efficient shielding provides for long cable routing such as e.g. sub-woofers. The cable is possible to connect as single-end or balanced with any of our suitable connectors as follows; PPX, RCA-6 or XLR. An excellent entry level cable for the conscious hi-fi listener how will not satisfy with the sub-standard interconnects usually enclosed with entry level hifi equipment. We believe it will be the starting point of exploring the positive impact of Supra's interconnects, which will allow any hi-fi device to reach its full potential.

### CONSTRUCTION

|                     |   |
|---------------------|---|
| Conductors (x2):    | Tin plated Cu-wire OFC 5N 19x0.127 mm       |
| Cross section Area: | 2x0,24mm <sup>2</sup> / AWG 23              |
| Insulation:         | PE, Blue & Red. Twisted pair.               |
| Screen:             | Alu/Pet foil                                |
| Screen coverage:    | 100%  |
| Screen connection:  | Tin plated OFC drain-wire 19x0.127mm        |
| Jacket:             | PVC GA78, round                             |
| Jacket thickness.   | 2 mm  |
| Diameter.           | 5.5mm                                       |
| Colour:             | Iceblue & white (other colours upon order)  |
| Marking:            | SUPRA SUBLINK > Made in Sweden > Meter mark |
| Weight.             | 48 kg/km                                    |
| Packing:            | Bobbin 100m (other lengths upon order)      |
| Suitable plugs:     | Supra RCA-6, RCA-6SC & Swift XLR            |

### ELECTRICAL SPECIFICATION

|                           |                          |
|---------------------------|--------------------------|
| Resistance:               | 72 ohm/km                |
| Capacitance:              | 52 pF/m                  |
| Characteristic impedance: | 90 Ohm                   |
| Velocity factor:          | 0,66x C (speed of light) |



| PRODUCT                  | Qty  | Part.no    | EAN-13        | E-no    |
|--------------------------|------|------------|---------------|---------|
| SUBLINK AUDIO BLUE B100  | 100M | 1001800398 | 7330060002236 | 4866942 |
| SUBLINK AUDIO WHITE B100 | 100M | 1001800513 | 7330060204128 |         |